

MATERIAL SAFETY DATA SHEET

TAKE 1 ADVANCED BASE PASTE

(All Viscosities and Set-Times)

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March 22, 2007

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

Polyvinyl siloxanes, fillers and colorants

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Specific Gravity (H₂O = 1): ~1.25
Vapor Pressure (mm Hg): N/D
Vapor Density (AIR = 1): N/D
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Various colored pastes with a slight fruity odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >288 °F (142 °C)
Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: Water spray, carbon dioxide and dry chemical.
Special Fire Fighting Procedures: None known
Unusual Fire and Explosion Hazards: Irritating fumes may develop when product is heated. Avoid eye and skin contact. Do not breathe fumes.

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Elevated temperatures or open flame.
Incompatibility (Materials to Avoid): Oxidizers
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:
Skin: May cause mild irritation.
Eyes: May cause irritation.
Inhalation: May cause mild irritation.
Ingestion: May be harmful if swallowed.
Carcinogenicity - NTP: No
IARC Monographs: No OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Flush with water, then wash with soap and water .
Eyes: Flush with water for 15 minutes. Get medical attention.
Inhalation: Move individual to fresh air.
Ingestion: Do not give fluids or induce vomiting. Get medical attention.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Cover spill with absorbent material. Transfer to a suitable container.
Waste Disposal Method: Do not release into sewer system. Dispose of absorbent material as solid waste.
Precautions to be taken in handling and storing: Use according to directions. Store in a cool, dry area.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not required if PEL is not exceeded.
VENTILATION:
Local Exhaust: Use in a well-ventilated area.
Mechanical (General): Should be sufficient
Protective Gloves: Impervious gloves
Eye Protection: Safety glasses. Do not wear contact lenses.
Other Protective Clothing or Equipment: None
Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. Includes avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - ADDITIONAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:
H1 F0 R0
[HMIS Index: 4 - Severe Hazard; 3 -Serious Hazard;
2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.

MATERIAL SAFETY DATA SHEET

TAKE 1 ADVANCED CATALYST PASTE

(All Viscosities and Set-Times)

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March 22, 2007

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

Polyvinyl siloxanes, platinum catalyst complex, fillers and colorants

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Specific Gravity (H₂O = 1): ~1.25
Vapor Pressure (mm Hg): N/D
Vapor Density (AIR = 1): N/D
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Various colored pastes with a slight fruity odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >288 °F (142 °C)
Flammable Limits: LEL: N/A **UEL:** N/A
Extinguishing Media: Water spray, carbon dioxide and dry chemical.
Special Fire Fighting Procedures: None known
Unusual Fire and Explosion Hazards: Irritating fumes may develop when product is heated. Avoid eye and skin contact. Do not breathe fumes.

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Elevated temperatures or open flame.
Incompatibility (Materials to Avoid): Oxidizers
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: May cause mild irritation.

Eyes: May cause irritation.

Inhalation: May cause mild irritation.

Ingestion: May be harmful if swallowed.

Carcinogenicity - NTP: No

IARC Monographs: No **OSHA Regulated Carcinogen:** No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Flush with water, then wash with soap and water.

Eyes: Flush with water for 15 minutes. Get medical attention.

Inhalation: Move individual to fresh air.

Ingestion: Do not give fluids or induce vomiting. Get medical attention.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Cover spill with absorbent material. Transfer to a suitable container.

Waste Disposal Method: Do not release into sewer system. Dispose of absorbent material as solid waste.

Precautions to be taken in handling and storing: Use according to directions. Store in a cool, dry area.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not required if PEL is not exceeded.

VENTILATION:

Local Exhaust: Use in a well-ventilated area.

Mechanical (General): Should be sufficient

Protective Gloves: Impervious gloves

Eye Protection: Safety glasses. Do not wear contact lenses.

Other Protective Clothing or Equipment: None

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. Includes avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - ADDITIONAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:

H1 F0 R0

[HMIS Index: 4 - Severe Hazard; 3 - Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.

**TAKE 1 ADVANCED BITE REGISTRATION
BASE PASTE**

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March, 2008

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

Methylhydrogensiloxane demethylsiloxane copolymer, Polyvinyl siloxanes, fillers and colorants

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Specific Gravity (H₂O = 1): ~1.25
Vapor Pressure (mm Hg): N/D
Vapor Density (AIR = 1): N/D
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Various colored pastes with a slight fruity odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >288 °F (142 °C)
Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: Water spray, carbon dioxide and dry chemical.
Special Fire Fighting Procedures: None known
Unusual Fire and Explosion Hazards: Irritating fumes may develop when product is heated. Avoid eye and skin contact. Do not breathe fumes.

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Elevated temperatures or open flame.
Incompatibility (Materials to Avoid): Oxidizers
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:
Skin: May cause mild irritation.
Eyes: May cause irritation.
Inhalation: May cause mild irritation.
Ingestion: May be harmful if swallowed.
Carcinogenicity - NTP: No
IARC Monographs: No OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Flush with water, then wash with soap and water .
Eyes: Flush with water for 15 minutes. Get medical attention.
Inhalation: Move individual to fresh air.
Ingestion: Do not give fluids or induce vomiting. Get medical attention.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Cover spill with absorbent material. Transfer to a suitable container.
Waste Disposal Method: Do not release into sewer system. Dispose of absorbent material as solid waste.
Precautions to be taken in handling and storing: Use according to directions. Store in a cool, dry area.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not required if PEL is not exceeded.
VENTILATION:
Local Exhaust: Use in a well-ventilated area.
Mechanical (General): Should be sufficient
Protective Gloves: Impervious gloves
Eye Protection: Safety glasses. Do not wear contact lenses.
Other Protective Clothing or Equipment: None
Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. Includes avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - ADDITIONAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:
H1 F0 R0
**[HMIS Index: 4 - Severe Hazard; 3 -Serious Hazard;
2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]**

MATERIAL SAFETY DATA SHEET

TAKE 1 ADVANCED BITE REGISTRATION CATALYST PASTE

1 - IDENTIFICATION

Manufacturer: Kerr Corporation
Address: 1717 West Collins Avenue
City, State, Zip: Orange, CA 92867-5422
Telephone: 1-800-KERR-123
Emergency: Chemtrec 1-800-424-9300
Date Prepared: March, 2008

2 - COMPOSITION INFORMATION

Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other Ingredients

Polyvinyl siloxanes, platinum catalyst complex, fillers and colorants

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Specific Gravity (H₂O = 1): ~1.25
Vapor Pressure (mm Hg): N/D
Vapor Density (AIR = 1): N/D
Solubility in Water: Insoluble
Reactivity in Water: N/A
Appearance and Odor: Various colored pastes with a slight fruity odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): >288 °F (142 °C)
Flammable Limits: LEL: N/A **UEL:** N/A
Extinguishing Media: Water spray, carbon dioxide and dry chemical.
Special Fire Fighting Procedures: None known
Unusual Fire and Explosion Hazards: Irritating fumes may develop when product is heated. Avoid eye and skin contact. Do not breathe fumes.

5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Elevated temperatures or open flame.
Incompatibility (Materials to Avoid): Oxidizers
Hazardous Decomposition Products: N/A
Hazardous Polymerization: Will not occur.

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: May cause mild irritation.

Eyes: May cause irritation.

Inhalation: May cause mild irritation.

Ingestion: May be harmful if swallowed.

Carcinogenicity - NTP: No

IARC Monographs: No **OSHA Regulated Carcinogen:** No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Flush with water, then wash with soap and water.

Eyes: Flush with water for 15 minutes. Get medical attention.

Inhalation: Move individual to fresh air.

Ingestion: Do not give fluids or induce vomiting. Get medical attention.

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Cover spill with absorbent material. Transfer to a suitable container.

Waste Disposal Method: Do not release into sewer system. Dispose of absorbent material as solid waste.

Precautions to be taken in handling and storing: Use according to directions. Store in a cool, dry area.

9 - CONTROL MEASURES

Respiratory Protection (Specify Type): Not required if PEL is not exceeded.

VENTILATION:

Local Exhaust: Use in a well-ventilated area.

Mechanical (General): Should be sufficient

Protective Gloves: Impervious gloves

Eye Protection: Safety glasses. Do not wear contact lenses.

Other Protective Clothing or Equipment: None

Work/Hygiene Practices: Handle in accordance with good personal hygiene and safety practices. Includes avoiding unnecessary exposure.

10 - TRANSPORTATION INFORMATION

Not DOT regulated.

11 - ADDITIONAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:

H1 F0 R0

[HMIS Index: 4 - Severe Hazard; 3 - Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.