



SOLD BY:
1100 Bristol St.
Costa Mesa, CA 92626

SOLD TO:

CREATED DATE
9/6/2023


LATEST UPDATE
9/13/2023

OWNER
Adrian Beltran

Abbreviated Quote Report

| QUOTE NAME | PROJECT NAME | QUOTE NUMBER | CUSTOMER PO# | TRADE ID |
|-------------------------|--------------------|--------------|--------------|----------|
| David Esparza - Kevin 2 | Unassigned Project | 4624640 | | |

| ORDER NOTES: | DELIVERY NOTES: |
|--------------|-----------------|
|--------------|-----------------|



| Item | Qty | Operation | Location |
|------|-----|-----------|---------------|
| 100 | 1 | Left | None Assigned |

RO Size = 34" x 39"

Unit Size = 33 1/2" x 38 1/2"


CAX 2' 9 1/2"X3' 2 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Left, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT CSMT BAG W6204PKLKB1 PN:9078345

Insect Screen 1: E-Series Casement, CAX 33.5 x 38.5 Full Fiberglass Black

12IN, INSTALL STRAP KIT WITH SCREWS QTY 12 PN:9198581

| Unit # | U-Factor | SHGC | ENERGY STAR Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | |
|--------|----------|------|----------------------------------|-------|---------|---------------|---------|
| A1 | 0.29 | 0.17 | YES | A1 | 25.3125 | 33.8125 | 5.94360 |




| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|--------------------------------|------------|----------------------------------|-----------------|
| 600 | 1 | Stationary | None Assigned |
| RO Size = 17 1/2" x 34" | | Unit Size = 17" x 33 1/2" | |

CAX 1' 5"X2' 9 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Stationary, Sash Set (2 Piece), Align w/Stationary Stops, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer

12IN, INSTALL STRAP KIT WITH SCREWS QTY 8 PN:9198580

| Unit # | U-Factor | SHGC | ENERGY STAR |
|--------|----------|------|-------------|
| A1 | 0.29 | 0.2 | YES |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|------------------------------------|------------|------------------------------|-----------------|
| 700 | 1 | Vent | None Assigned |
| RO Size = 36 1/2" x 36 1/2" | | Unit Size = 36" x 36" | |


AAX3030, Unit, E-Series Awning, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Vent, Dual Pane Low-E4 SmartSun HeatLock Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 2 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Folding, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT AWN BAG W6204PKAKB1 PN:9078341

Insect Screen 1: E-Series Awning, AAX3030 Full Fiberglass Black

12IN, INSTALL STRAP KIT WITH SCREWS QTY 8 PN:9198580

| Unit # | U-Factor | SHGC | ENERGY STAR |
|--------|----------|------|-------------|
| A1 | 0.28 | 0.17 | YES |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|------------------|-----------------|
| 1200 | 2 | Left-Right | None Assigned |

RO Size = 38" x 51"

Unit Size = 37 1/2" x 50 1/2"

Mull: Factory Mull, Andersen Ribbon Mull, Zero Mull Material

CAX 1' 6 3/4"X4' 2 1/2"-CAX 1' 6 3/4"X4' 2 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Unit 1: Left, Unit 2: Right, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT CSMT BAG W6204PKLKB1 PN:9078345


Insect Screen 1: E-Series Casement, CAX 18.75 x 50.5 Full Fiberglass Black

BLK RH HARDWARE KIT CSMT BAG W6204PKRKB1 PN:9078346

Insect Screen 1: E-Series Casement, CAX 18.75 x 50.5 Full Fiberglass Black

12IN, INSTALL STRAP KIT WITH SCREWS QTY 16 PN:9198582

| Unit # | U-Factor | SHGC | ENERGY STAR Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | |
|--------|----------|------|----------------------------------|-------|---------|---------------|---------|
| A1 | 0.29 | 0.17 | YES | A1 | 10.5625 | 45.8125 | 3.36040 |
| B1 | 0.29 | 0.17 | | B1 | 10.5625 | 45.8125 | 3.36040 |




Item **Qty** **Operation** **Location**
1500 **1** **Right** **None Assigned**
RO Size = 22" x 40" **Unit Size = 21 1/2" x 39 1/2"**

CAX 1' 9 1/2"X3' 3 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Right, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK RH HARDWARE KIT CSMT BAG W6204PKRKB1 PN:9078346
 Insect Screen 1: E-Series Casement, CAX 21.5 x 39.5 Full Fiberglass Black
 12IN, INSTALL STRAP KIT WITH SCREWS QTY 12 PN:9198581

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.17 | YES | A1 | 13.3125 | 34.8125 | 3.21830 |




Item **Qty** **Operation** **Location**
1600 **1** **Left** **None Assigned**
RO Size = 22" x 40" **Unit Size = 21 1/2" x 39 1/2"**

CAX 1' 9 1/2"X3' 3 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Left, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT CSMT BAG W6204PKLKB1 PN:9078345
 Insect Screen 1: E-Series Casement, CAX 21.5 x 39.5 Full Fiberglass Black
 12IN, INSTALL STRAP KIT WITH SCREWS QTY 12 PN:9198581

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.17 | YES | A1 | 13.3125 | 34.8125 | 3.21830 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|------------------|-----------------|
| 1900 | 1 | Left | None Assigned |

RO Size = 26" x 45"

Unit Size = 25 1/2" x 44 1/2"


CAX 2' 1 1/2"X3' 8 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Left, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT CSMT BAG W6204PKLKB1 PN:9078345

Insect Screen 1: E-Series Casement, CAX 25.5 x 44.5 Full Fiberglass Black

12IN, INSTALL STRAP KIT WITH SCREWS QTY 12 PN:9198581

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.17 | YES | A1 | 17.3125 | 39.8125 | 4.78650 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|------------------|-----------------|
| 2000 | 1 | Left | None Assigned |

RO Size = 34" x 51"

Unit Size = 33 1/2" x 50 1/2"


CAX 2' 9 1/2"X4' 2 1/2", Unit, E-Series Casement, 2 7/8" Frame Depth, Rigid Vinyl w/Integral Vinyl Drip Cap, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Left, Standard Hinge, Dual Pane Low-E4 SmartSun Standard Argon Fill Simulated Divided Light (SDL) 1 Wide, 3 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Handle w/Cover, Black, Standard, High Performance Keeper, Black, Full, Fiberglass

BLK LH HARDWARE KIT CSMT BAG W6204PKLKB1 PN:9078345

Insect Screen 1: E-Series Casement, CAX 33.5 x 50.5 Full Fiberglass Black

12IN, INSTALL STRAP KIT WITH SCREWS QTY 12 PN:9198581

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.17 | YES | A1 | 25.3125 | 45.8125 | 8.05300 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|---------------------------|-----------------|
| 2700 | 1 | Passive Left-Active Right | None Assigned |

RO Size = 50" x 96 1/2"


Unit Size = 49 1/2" x 96"

AFDO 4' 1 1/2"X8', Unit, E-Series Outswing Door-2 Panel-French, Standard Panel, 4 9/16" Frame Depth, Factory Assembled, Rigid Vinyl w/Integral Vinyl Drip Cap, Dark Bronze Anodized On-Floor Sill, 4 11/16" Stile Width, 4 11/16" Top Rail Height, 8" Bottom Rail Height, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Passive Left-Active Right, Dual Pane Low-E4 SmartSun HeatLock Tempered Argon Fill Simulated Divided Light (SDL) 1 Wide, 4 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Multi-Point - Installed, FSB 1076, Black, Black

Trim Set 1: AFDO Passive Left-Active Right FSB 1076 Black PN:9184752

12IN, INSTALL STRAP KIT WITH SCREWS QTY 20 PN:9198583

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.15 | YES | A1 | 43.3125 | 92.6250 | 27.8599 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|--|-----------------|
| 2800 | 1 | Left - Active Left-Passive Right - Right | None Assigned |

RO Size = 98 1/2" x 96 1/2"

Unit Size = 98" x 96"

Mull: Factory Mull, Andersen Ribbon Mull, 1/2 Inch Mull Material

AFDI2080 - AFDI4080 - AFDI2080, Unit, Unit 1, 3: E-Series Inswing Door-1 Panel-French, Unit 2: E-Series Inswing Door-2 Panel-French, Standard Panel, 4 9/16" Frame Depth, Factory Assembled, Variable Setback Metal Installation Flange, Dark Bronze Anodized On-Floor Drainage Sill, 4 11/16" Stile Width, 4 11/16" Top Rail Height, 8" Bottom Rail Height, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Unit 1: Left, Unit 2: Active Left-Passive Right, Unit 3: Right, Dual Pane Low-E4 SmartSun HeatLock Tempered Argon Fill Simulated Divided Light (SDL) 1 Wide, 4 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Multi-Point - Installed, FSB 1076, Black, Black

Trim Set 1: AFDI Left FSB 1076 Black PN:9184746

Trim Set 1: AFDI Active Left-Passive Right FSB 1076 Black PN:9184752

Trim Set 1: AFDI Right FSB 1076 Black PN:9184746


12IN, INSTALL STRAP KIT WITH SCREWS QTY 24 PN:9198584

156IN, KAB CAFDI ADJ DRIP CAP 13-0KYNAR #24593 PN:0K18754

Mull Cover: AFDI, 96IN, Black, PN:9179180

Mull Cover: AFDI, 96IN, Black, PN:9179180

| Unit # | U-Factor | SHGC | ENERGY STAR Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | |
|--------|----------|------|----------------------------------|-------|---------|---------------|---------|
| A1 | 0.28 | 0.14 | YES | A1 | 20.0000 | 92.3750 | 12.8299 |
| B1 | 0.28 | 0.14 | | B1 | 41.8125 | 92.3750 | 26.8224 |
| C1 | 0.28 | 0.14 | | C1 | 20.0000 | 92.3750 | 12.8299 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|---------------------------|-----------------|
| 2900 | 1 | Passive Left-Active Right | None Assigned |

RO Size = 51" x 82 1/2"


Unit Size = 50 1/2" x 82"

AFDO 4' 2 1/2"X6' 10", Unit, E-Series Outswing Door-2 Panel-French, Standard Panel, 4 9/16" Frame Depth, Factory Assembled, Rigid Vinyl w/Integral Vinyl Drip Cap, Dark Bronze Anodized On-Floor Sill, 4 11/16" Stile Width, 4 11/16" Top Rail Height, 8" Bottom Rail Height, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Passive Left-Active Right, Dual Pane Low-E4 SmartSun HeatLock Tempered Argon Fill Simulated Divided Light (SDL) 1 Wide, 4 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Multi-Point - Installed, FSB 1076, Black, Black

Trim Set 1: AFDO Passive Left-Active Right FSB 1076 Black PN:9184752

12IN, INSTALL STRAP KIT WITH SCREWS QTY 16 PN:9198582

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.29 | 0.15 | YES | A1 | 44.3125 | 78.6250 | 24.1949 |



| <u>Item</u> | <u>Qty</u> | <u>Operation</u> | <u>Location</u> |
|-------------|------------|--|-----------------|
| 3000 | 1 | Left - Active Left-Passive Right - Right | None Assigned |

RO Size = 107 1/2" x 96 1/2"

Unit Size = 107" x 96"

Mull: Factory Mull, Andersen Ribbon Mull, 1/2 Inch Mull Material

AFDI2080 - AFDI 4' 9"X8' - AFDI2080, Unit, Unit 1, 3: E-Series Inswing Door-1 Panel-French, Unit 2: E-Series Inswing Door-2 Panel-French, Standard Panel, 4 9/16" Frame Depth, Factory Assembled, Variable Setback Metal Installation Flange, Dark Bronze Anodized On-Floor Drainage Sill, 4 11/16" Stile Width, 4 11/16" Top Rail Height, 8" Bottom Rail Height, Black 2605 Exterior Frame, Black 2605 Exterior Sash/Panel, Pine w/Black - Painted Interior Frame, Pine w/Black - Painted Interior Sash/Panel, Unit 1: Left, Unit 2: Active Left-Passive Right, Unit 3: Right, Dual Pane Low-E4 SmartSun HeatLock Tempered Argon Fill Simulated Divided Light (SDL) 1 Wide, 4 High, Specified Equal Light Pattern, Black, 2605, Pine w/Black - Painted, Chamfer Exterior Grille Bar/ Ovolo Interior Grille Bar, 5/8" Grille Bar, Ovolo Glass Stop Black Glass / Grille Spacer, Multi-Point - Installed, FSB 1076, Black, Black, Black, 2605, Full, Fiberglass, Hinged Single

Trim Set 1: AFDI Left FSB 1076 Black PN:9184746

Insect Screen 1: E-Series Inswing Door-1 Panel-French, 22 11/16" X 93 3/16" AFDI2080 Full Fiberglass Hinged Single Black 2605

Trim Set 1: AFDI Active Left-Passive Right FSB 1076 Black PN:9184752

Trim Set 1: AFDI Right FSB 1076 Black PN:9184746

Insect Screen 1: E-Series Inswing Door-1 Panel-French, 22 11/16" X 93 3/16" AFDI2080 Full Fiberglass Hinged Single Black 2605

12IN, INSTALL STRAP KIT WITH SCREWS QTY 24 PN:9198584

156IN, KAB CAFDI ADJ DRIP CAP 13-OKYNAR #24593 PN:OK18754

Mull Cover: AFDI, 96IN, Black, PN:9179180

Mull Cover: AFDI, 96IN, Black, PN:9179180

| Unit # | U-Factor | SHGC | ENERGY STAR | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) |
|--------|----------|------|-------------|----------------------|---------|---------|---------------|
| A1 | 0.28 | 0.14 | YES | A1 | 20.0000 | 92.3750 | 12.8299 |
| B1 | 0.28 | 0.14 | | B1 | 50.8125 | 92.3750 | 32.5959 |
| C1 | 0.28 | 0.14 | | C1 | 20.0000 | 92.3750 | 12.8299 |

CUSTOMER SIGNATURE _____ DATE _____

* All graphics as viewed from the exterior. ** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.

Thank you for choosing Andersen Windows & Doors