

Riva Self Cure, Riva Self Cure fast (capsules) SDI (North America) Inc.

Version No: 5.1.1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: 01/11/2019 Print Date: 16/10/2020 L.GHS.USA.EN

SECTION 1 Identification

Product Identifier

Product name	Riva Self Cure, Riva Self Cure fast (capsules)
Synonyms	Not Available
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses	For filling of cavitated teeth by dental professionals.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	SDI (North America) Inc.	SDI Limited	SDi
Address	1279 Hamilton Parkway Itasca IL 60143 United States	3-15 Brunsdon Street Bayswater VIC 3153 Australia	Rua Dr. Virgílio de Carvalho Pinto, 612 Pinheiros, Sao Paulo 05415-020 Brazil
Telephone	+1 630 361 9200 (Business hours) 1 800 228 5166	+61 3 8727 7111 (Business Hours)	+55 11 3092 7100 (Business Hours)
Fax	+1 630 361 9222	+61 3 8727 7222	+55 11 3092 7101
Website	http://www.sdi.com.au	www.sdi.com.au	http://www.sdi.com.au/
Email	USA.Canada@sdi.com.au	info@sdi.com.au	Brasil@sdi.com.au
Registered company name	egistered company name SDI Dental Limited		
Address	Block 8, St Johns Court Santry Dublin 9 Ireland		
Telephone	+353 1 886 9577 (Business Hours) 800 0225 5734		
Fax	Not Available		
Website	http://www.sdi.com.au/		
Email	Ireland@sdi.com.au		

Emergency phone number

Association / Organisation	SDI Limited	SDi	SDI Dental Limited
Emergency telephone numbers	+61 3 8727 7111	+61 3 8727 7111	+61 3 8727 7111
Other emergency telephone numbers	ray.cahill@sdi.com.au	Not Available	Not Available

SECTION 2 Hazard(s) identification

Classification of the substance or mixture NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)

Label elements

Hazard pictogram(s)



Signal word Warning	
Hazard statement(s)	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P321	Specific treatment (see advice on this label).
P362	Take off contaminated clothing and wash before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P332+P313	If skin irritation occurs: Get medical advice/attention.

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

P501

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available		Compartment 1 contains
9003-01-4	20-30	acrylic acid homopolymer
87-69-4	10-15	tartaric acid
Not Available		Compartment 2 contains:
Not Available	90-95	fluoro aluminosilicate glass

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Seek medical attention.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. Seek medical attention.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

Foam is generally ineffective.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety goggles. Trowel up/scrape up. Place spilled material in clean, dry, sealed container. Flush spill area with water. 	
Major Spills	 Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal. Wash area and prevent runoff into drains or waterways. If contamination of drains or waterways occurs, advise emergency services. 	

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

J
Safe handling

	 Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Other information	Store between 5 and 25 deg. C. Do not store in direct sunlight. Store in a dry and well ventilated-area, away from heat and sunlight.
Conditions for safe storage, in	cluding any incompatibilities
Suitable container	 DO NOT repack. Use containers supplied by manufacturer only. Check that containers are clearly labelled and free from leaks

SECTION 8 Exposure controls / personal protection

None known

Control parameters

Occupational Exposure Limits (OEL)

Suitable container Storage incompatibility

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
tartaric acid	Tartaric acid	1.6 mg/m3	17 mg/m3	100 mg/m3
Ingredient	Original IDLH		Revised IDLH	
acrylic acid homopolymer	Not Available		Not Available	
tartaric acid	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
acrylic acid homopolymer	E	≤ 0.01 mg/m³
tartaric acid	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

MATERIAL DATA

Exposure controls

	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances. If risk of overexposure exists, wear approved respirator. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection. Provide adequate ventilation in warehouses and enclosed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.			
	Type of Contaminant:		Air Speed:	
	solvent, vapours, degreasing etc., evaporating from tank (in still air).		0.25-0.5 m/s (50-100 f/min)	
Appropriate engineering controls	aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)		0.5-1 m/s (100-200 f/min.)	
controis			1-2.5 m/s (200-500 f/min.)	
	grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion)		2.5-10 m/s (500-2000 f/min.)	
	Within each range the appropriate value depends on:			
	Lower end of the range	Upper end of the range		
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents		
	2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity		
	3: Intermittent, low production.	3: High production, heavy use		
	4: Large hood or large air mass in motion	4: Small hood-local control only		
	Simple theory shows that air velocity falls rapidly with distance with the square of distance from the extraction point (in simpl accordingly, after reference to distance from the contaminatin 1-2 m/s (200-400 f/min) for extraction of solvents generated in producing performance deficits within the extraction apparatu	e cases). Therefore the air speed at the extraction point sho ng source. The air velocity at the extraction fan, for example n a tank 2 meters distant from the extraction point. Other mo	buld be adjusted, , should be a minimum of echanical considerations,	

	more when extraction systems are installed or used.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]
Skin protection	See Hand protection below
Hands/feet protection	 PVC gloves Rubber Gloves
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance Smooth, pale-coloured paste with slightly characteristic odour, partially mixes with water.

	· · · · · · · · · · · · · · · · · · ·		
Physical state	Non Slump Paste	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.

Skin Contact	Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

Riva Self Cure, Riva Self Cure	ΤΟΧΙΟΙΤΥ	IRRITATION	
fast (capsules)	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
acrylic acid homopolymer	Not Available	Eye: adverse effect observed (irreversible damage) ^[1]	
		Skin: no adverse effect observed (not irritating) ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
tartaric acid	5000 mg/kg ^[2]	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

ACRYLIC ACID HOMOPOLYMER	Polycarboxylates are of low toxicity by all exposure routes examined. Homopolymers(P-AA) are of low acute toxicity to the rat (LD50 > 5 g/kg bw/) and are not irritating to the rabbit's skin and, at the most, slightly irritating to the eye. Further P-AA has no sensitising potential. The adverse effect after repeated inhalation dosing (PI-4/rat) was a mild, reversible pulmonary irritation. This effect is considered as not substance related owing to the physical property of the respirable dust, which caused local and not systemic lung effects. There was neither evidence for a genotoxic potential of PAA using a variety of genetic endpoints in-vitro and in-vico, nor for developmental toxicity or reprotoxicity. In ther at. Based upon the available data, it is considered that exposure to polycarboxylates does not imply any particular hazard to humans The Cosmetic Ingredient Review (CIR) Expert Panel noted that these crosslinked alkyl acrylates are macromolecules that are not expected to pass through the sittatum corneum of the skin, so significant dermal absorption is not expected. Therefore, topically applied dosmetics are not expected to result in systemic or reproductive and developmental toxicity or to have genotoxic or carcinogenic effects upon use. The Panel noted that cosmetic products containing these ingredients are reportedly used around the eyes, on the lips, and on ther mucous membranes. Thus, crosslinked alkyl acrylates could be absorbed systemically through the relatively most, natisamo connea of the conjunctiva, lips, and other mucous membranes, and through ingestion when applied to the lips. However, the Panel noted that any absorption through healthy intent nature of the polymers procludes degradation to smaller absorbable spoceties. Absorption of the polymers and their residual monomers in cosmetic products shat might and an almal studies showed that Carbomers 301, 334, 3342, 4342, 4344, and 4441 have low toxicities who family ingested or mask direct contact with the conjunctiva. The
	Final Safety Assessment: Crosslinked Alkyl Acrylates as Used in Cosmetics. Nov 2011 Cosmetic Ingredient Review (CIR) Expert Panel
	http://ntp.niehs.nih.gov/ntp/roc/nominations/2013/publiccomm/attachmentcir_508.pdf The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.

	Evidence of carcinogenicity may be inadequate or limited in animal testing.	
 TARTARIC ACID A decidence and a set of the simple alpha-hydrox carboxylic acids indicate a low acute, repeated dose, reproductive down and a simple alpha-hydrox carboxylic acids indicate a low acute, repeated-dose, reproductive down and a low acute, repeated-dose, reproductive down and acid, 2-hydroxy. (29:17-33-4) TARTARIC ACID Convulsion all as low carboxing and a pha-hydrox carboxylic acids are even and simple alpha-hydrox carboxylic acids are even indicated how the low set of the simple alpha-hydroxy. (29:17-33-4) TARTARIC ACID Convulsion and the site on the site on carboxylic acids are even and simple alpha-hydroxy carboxylic acids and simple hydroxy. (27:14-14) The sixel as a considered to be low and pha-hydroxy carboxylic acids and and simple alpha-hydroxy. (28:17-23-4) The sixel as a considered to be low and the simple alpha-hydroxy carboxylic acids and and simple alpha-hydroxy. (28:17-23-4) The sixel as a considered to be low and the simple alpha-hydroxy carboxylic acids and and simple alpha-hydroxy. (28:17-23-4) The sixel as a considered to be low and the simple alpha-hydroxy carboxylic acids and simple alpha-hydroxy. (28:17-23-4) The sixel as available for members of the simple alpha-hydroxy carboxylic acids and simple alpha-hydroxy. (28:17-23-4) The sixel as available for members of the simple alpha-hydroxy carboxylic acids and available for a normal simple alpha-hydroxy (28)-(79-33-4) The sixel as available for members and a cancer bioassay for the calcum said of propancic acid, 2-hydroxy. (29:17-21-11) The sixel alpha hydroxy carboxylic acids are severed and was found to be low. Dow reproductive dovelop member as a cancer bioassay for the calcum said of propan		rts for skin exfoliating products that contain AHAs has to occur most often with products that cause the in results in increased UV sensitivity. After four weeks 8 percent. Similarly, the volunteers' sensitivity to ividuals. Topical glycolic acid enhances photodamage of tast long after discontinuing use of the AHA cream. JV sensitivity among the various skin sites. ormote normal keratinization and desquamation. If or sensitive skin. Dough the effects did not appear to involve dramatic enetrate more deeply into the skin when compared to eaded to learn how much, if at all, those cosmetic-type pounds sharing the functional group defining the ate a low acute, repeated-dose, reproductive and the skin sensitisers. If propanoic acid, 2-hydroxy- yielded negative results potential. Dist, 105-21-5) are low. The repeated-dose and PAS High Production Volume Program, reproductive it is a normal component of human intermediary was found to be low. Low reproductive toxicity of the evere eye irritants. Acetic acid, 2-hydroxy- (79-14-1), duced positive skin irritation in rabbits. The members gs for both acetic acid, 2-hydroxy- (79-14-1) and 14-1) and propanoic acid, 2-hydroxy- (79-14-5) are ar drinking water study of the calcium salt of propanoic nt based on mechanism-based structure-activity nembers due to expected rapid metabolism/excretion d mutagenicity data for propanoic acid, 2- as treating acne, removing scars, and lightening
HOMOPOLYMER & TARTARIC	condition known as reactive airways dysfunction syndrome (RADS) which can occur followir compound. Key criteria for the diagnosis of RADS include the absence of preceding respirat	ng exposure to high levels of highly irritating tory disease, in a non-atopic individual, with abrupt
ACID	lymphocytic inflammation, without eosinophilia, have also been included in the criteria for dia irritating inhalation is an infrequent disorder with rates related to the concentration of and du Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to particulate in nature) and is completely reversible after exposure ceases. The disorder is cha production.	agnosis of RADS. RADS (or asthma) following an iration of exposure to the irritating substance. o high concentrations of irritating substance (often
ACID Acute Toxicity	irritating inhalation is an infrequent disorder with rates related to the concentration of and du Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to particulate in nature) and is completely reversible after exposure ceases. The disorder is cha	agnosis of RADS. RADS (or asthma) following an iration of exposure to the irritating substance. o high concentrations of irritating substance (often
	irritating inhalation is an infrequent disorder with rates related to the concentration of and du Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to particulate in nature) and is completely reversible after exposure ceases. The disorder is cha production.	agnosis of RADS. RADS (or asthma) following an iration of exposure to the irritating substance. o high concentrations of irritating substance (often aracterised by dyspnea, cough and mucus
Acute Toxicity	irritating inhalation is an infrequent disorder with rates related to the concentration of and du Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to particulate in nature) and is completely reversible after exposure ceases. The disorder is cha production.	agnosis of RADS. RADS (or asthma) following an iration of exposure to the irritating substance. o high concentrations of irritating substance (often aracterised by dyspnea, cough and mucus
Acute Toxicity Skin Irritation/Corrosion	irritating inhalation is an infrequent disorder with rates related to the concentration of and du Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to particulate in nature) and is completely reversible after exposure ceases. The disorder is char production. X Carcinogenicity Reproductivity	agnosis of RADS. RADS (or asthma) following an iration of exposure to the irritating substance. o high concentrations of irritating substance (often aracterised by dyspnea, cough and mucus

Legend: 🗙

X − Data either not available or does not fill the criteria for classification
✓ − Data available to make classification

SECTION 12 Ecological information

	E. L. Martin		0	No.	A
ive Solf Cure Bive Solf Cure	Endpoint	Test Duration (hr)	Species	Value	Source
Riva Self Cure, Riva Self Cure fast (capsules)	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
acrylic acid homopolymer	LC50	96	Fish	27mg/L	2
	EC50	48	Crustacea	47mg/L	2
	EC50	72	Algae or other aquatic plants	0.75mg/L	2
	NOEC	72	Algae or other aquatic plants	0.03mg/L	2

	Endpoint	Test Duration (hr)	Species	Value	Source
tartaric acid EC EC	LC50	96	Fish	>100mg/L	2
	EC50	48	Crustacea	93.313mg/L	2
	EC50	72	Algae or other aquatic plants	51.404mg/L	2
	EC0	32	Crustacea	135mg/L	2
	NOEC	72	Algae or other aquatic plants	3.125mg/L	2
				-	1
Legend:		, , ,	red Substances - Ecotoxicological Information - Aqu		

V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data tic Hazard Asses

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
acrylic acid homopolymer	LOW	LOW
tartaric acid	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
acrylic acid homopolymer	LOW (LogKOW = 0.4415)
tartaric acid	LOW (LogKOW = -1.0017)

Mobility in soil

Ingredient	Mobility
acrylic acid homopolymer	HIGH (KOC = 1.201)
tartaric acid	HIGH (KOC = 1)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill.

SECTION 14 Transport information

Labels Required		
Marine Pollutant	NO	
Land transport (DOT): NOT RE	GULATED FOR TRANSPORT OF DANGEROU	S GOODS
Air transport (ICAO-IATA / DGR	R): NOT REGULATED FOR TRANSPORT OF DA	ANGEROUS GOODS
Sea transport (IMDG-Code / GC	GVSee): NOT REGULATED FOR TRANSPORT	OF DANGEROUS GOODS
Transport in bulk according to Not Applicable	Annex II of MARPOL and the IBC code	
SECTION 15 Regulatory info	ormation	
Safety, health and environmen	tal regulations / legislation specific for the su	bstance or mixture
acrylic acid homopolymer is four	nd on the following regulatory lists	
International Agency for Research Monographs	on Cancer (IARC) - Agents Classified by the IARC	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US Toxic Substances Control Act (7	TSCA) - Chemical Substance Inventory	
tartaric acid is found on the follo	wing regulatory lists	
US DOE Temporary Emergency Ex US Toxic Substances Control Act (7	posure Limits (TEELs) TSCA) - Chemical Substance Inventory	US TSCA Chemical Substance Inventory - Interim List of Active Substances
Federal Regulations		
Superfund Amendments and R	eauthorization Act of 1986 (SARA)	
Section 311/312 hazard categorie	25	
Flammable (Gases, Aerosols, Liqui	ids, or Solids)	No

Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	Yes
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

State Regulations

US. California Proposition 65 None Reported

National Inventory Status

National Inventory	Status
Australia - AIIC	Yes
Australia - Non-Industrial Use	No (acrylic acid homopolymer; tartaric acid)
Canada - DSL	Yes
Canada - NDSL	No (acrylic acid homopolymer; tartaric acid)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (acrylic acid homopolymer)
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	01/11/2019
Initial Date	14/12/2015

SDS Version Summary

Version	Issue Date	Sections Updated
4.1.1.1	29/01/2016	Disposal, Storage (suitable container)
5.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by SDI Limited using available literature

references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

The information contained in the Safety Data Sheet is based on data considered to be accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.

Other information:

Prepared by: SDI Limited 3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia Phone Number: +61 3 8727 7111 Department issuing SDS: Research and Development Contact: Technical Director

