

SAFETY DATA SHEET

1. Identification of Substance and Manufacturer:

UltraDose Ultrasonic Cleaning Solution PCN: 012

Use: Ultrasonic Cleaning Solution, diluted as per instructions

Manufacturer: L&R Manufacturing Company, 577 Elm Street, P.O. Box 607 Kearny, NJ 07032-0607 USA.

Publication Date: 05/09/2018 REV: J

Product information call 201-991-5330 www.lrultrasonics.com

For emergencies involving a spill, leak fire or accident contact CHEMTEL 800-255-3924 within the United States. Or 1-813-248-0585 for International calls.

2. HAZARDS IDENTIFICATION



Warning! Irritant. May be harmful if swallowed.

A: Warning Statement:

Good industrial hygiene practices should be used when handling this material.

Acute Eyes: Direct contact causes irritation, redness and possible tearing.

Acute Skin: Prolonged or repeated contact causes redness, and drying of the skin.

Acute Inhalation: Breathing high concentrations of vapors or mists may cause irritation to the nose and drowsiness.

Acute Ingestion: Will cause irritation to the digestive tract and signs of nervous system depression.

B: POTENTIAL HEALTH EFFECTS:

Chronic Effects: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or

suspected human carcinogens.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
Water	7732-18-5	35 - 45
Sodium Tetraborate	1303-96-4	1-2
Dodecyl mercaptan, ethoxylated	9004-83-5	1 - 5
Dipropylene Glycol Methyl Ether	34590-94-8	10 - 20
Nonyl Phenoxy Ethyleneoxy Ethanol	9016-45-9	1 - 10
Ethoxylated, Propoxylated C8- C10 Alcohols	68603-25-8	1 - 2
Surfactant	68608-65-1	25 - 35
Sodium Hydroxide	1310-73-2	0.4-1.0
Isopropyl Alcohol	67-63-0	0.2-1.0

The exact concentration and composition has been withheld as a trade secret

4. FIRST AID MEASURES

Eye Exposure: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

Skin Exposure: Wash thoroughly with water. If irritation or redness develops, seek medical attention.

Inhalation: If respiratory irritation or distress occurs, move victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

Ingestion: Seek immediate medical attention. INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE: Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

FIRE HAZARD DATA:

Suitable Extinguishing Media: Extinguish with dry chemical, CO₂ or a BC/ABC extinguisher.

Special Fire Fighting Procedures: None known

Unusual Fire and Explosion Hazards: Product will burn under fire conditions. Closed containers may explode due to build pressure when exposed to extreme heat.

Hazardous Decomposition Materials: (under fire conditions) Oxides of nitrogen, carbon and sulfur.

6. ACCIDENTAL RELEASE MEASURES:

Cleanup and Disposal of Spill: Mop up spill and dispose of by dilution to a sanitary sewer system as permitted by local, state and federal regulations.

Environmental and Regulatory Reporting: Not required

7. HANDLING AND STORAGE

Minimum/Maximum Storage Temperatures: 39 to 100°F Protect from freezing

HANDLING: AVOID CONTACT WITH SKIN, EYES OR CLOTHING

8. EXPOSURE CONTROL/PERSONAL PROTECTION

General: These recommendations provide general guidance for handling of this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. When developing safe handling procedures, do not overlook the need to clean and dispose of the material. Waste resulting from the use of this product should be handled in accordance with Section 13: Disposal Considerations.

Exposure Guidelines: Exposure limits are recommended worker breathing limits. The following limits apply to this material:

INGREDIENTS

Water Dipropylene Glycol Methyl Ether Nonyl Phenoxy Ethyleneoxy Ethanol Ethoxylated Propoxylated C8-10 Alcohol Sodium Hydroxide

None established 100 ppm PEL OSHA None eastablished None established 2 mg/m3 PEL OSHA

LIMITS

INGREDIENTS Sodium Tetraborate Dodecyl mercaptan, ethoxylated

"Surfactant"

Isopropyl Alcohol

10 mg/m None established None established NIOSH REL: TWA 400 ppm

LIMITS

Engineering Controls: Normal room ventilation.

Respiratory Controls: For reasonable uses of this material, respiratory protection should not be necessary.

Eye/Face Protection: Safety glasses to protect from splashing.

Skin Protection: Rubber or plastic gloves to avoid drying and irritation to the skin.

Work Practice Control: Normal hygiene in the work area should be taken when working with or handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Clear Liquid

pH: 9.6

Water Solubility: Soluble Freezing Point Range: 6°F Vapor Pressure: Not established Color: Honey

Specific Gravity: 1.06 Melting Point Range: Not available Boiling Point: Approx. 210 degrees F Vapor Density: Not established

Odor: Characteristic odor. Odor Threshold: Not available Evaporation Rate: Not available

Partition Coefficient; n-octanol / water: Not available

Decomposition Temperature: Not available

Flash Point: None Method: Tag Closed Cup Auto Ignition Temperature: Not available Viscosity: Not available

Flammability limits (vol/vol %): Lower: No Data Upper: No Data

Percent volatile by volume: Approximately 60% by volume V.O.C. (calculated): Concentrate: 1.71 lbs./ gal or 204.9 grams /l. Diluted as directed: 0.015

lbs/gal or .6 g/l.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to be avoided: Heat open flame

Materials/Chemicals to be avoided: Strong acids and oxidizing agents. **Decomposition Type: Thermal** Oxides of carbon, nitrogen and sulfur. .Possibility of Hazardous Reactions: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Acute Eye Irritation: Irritating to eyes. Acute Skin Irritation: Irritating to Skin.

Acute Dermal Toxicity: No test data found for product. Acute Respiratory Irritation: No test data found for product Acute Inhalation Toxicity: No test data found for product. **Acute Oral Toxicity:**

LD50 (rat) LD50(rat) = 3.0 gm/kg for Dodecyl mercaptan, ethoxylated, LD50 (rat) > 5000mg/kg for "Surfactant" LD50 (rat) = 2660 mg / .kg for sodium tetraborate LD50 (rat) = 4 gm / kg for Nonyl Phenoxy Ethyleneoxy Ethanol LD50(rat) = 2400 mg/kg Ethoxylated C8-10 alcohols Dipropylene Glycol Methyl Ether LD50= 5130 mg/kg

LD50 (rat) = 5045 00 mg/kg Isopropyl Alcohol LD50 (rat) = 4090 mg/kg for Sodium Hydroxide

Chronic Toxicity: This product does not contain any substances that are considered by OSHA, NTP, IARC OR ACGIH to be a probable or suspected human carcinogen. No additional test data was found for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicological Information: No data found.

13. DISPOSAL CONSIDERATIONS

This product can be disposed in sanitary sewer system, where permitted by local, federal and state regulations.

14. TRANSPORTATION INFORMATION

This product is not regulated for transportation. Product is not regulated for international air shipments (IATA.) Do not stack cartons more than five high

15. REGULATORY INFORMATION

Inventory Issues: All components of this product are listed on the U.S. TSCA, Canadian DSL, European EINECS/ELINS chemical listings

16. OTHER INFORMATION

National Fire Protection Association

Hazard Rating, NFPA

Health Flammability 2

Special

SDS CHANGES

REV

DATE 05/09/2018

DESCRIPTION OF CHANGE Change in Emergency Contact

Reactivity

0

Disclaimer: The information herein is given in good faith but no warranty expressed or implied is made. This SDS has been prepared by L&R Manufacturing Company.